



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/066,244	01/31/2002	Masashi Kiyose	10449-042001	2779

26161 7590 11/16/2004

FISH & RICHARDSON PC
225 FRANKLIN ST
BOSTON, MA 02110

EXAMINER

ORTIZ CRIADO, JORGE L

ART UNIT	PAPER NUMBER
----------	--------------

2655

DATE MAILED: 11/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/066,244

Applicant(s)

KIYOSE, MASASHI

Examiner

Jorge L Ortiz-Criado

Art Unit

2655

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 January 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-6,9-11 and 13 is/are rejected.
- 7) ☒ Claim(s) 2,7,8 and 12 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

1. Claims 1,4 and 11 are objected to because of the following informalities:

Claims 1,4 and 11 recites the limitation "PLL circuit" and should be "Phase-locked loop (PLL)".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless —

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 3, 4, 10, 11 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Graham et al. U.S. Patent no. 5,072,195.

Regarding claim 1, Graham et al. discloses a "PLL"/(phase locked loop) circuit comprising:

a first loop circuit for generating a first clock signal which is synchronized with a first reference signal (wide/broad range of frequencies), wherein the first reference signal is compared with the first clock signal to generate a first control voltage (See Fig. 5, ref# 500a, 5001a, 502a, 503a; col. 7, lines 7-53); and

a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal having a frequency which is sufficiently lower than the frequency of the first reference signal (narrow range, target frequency within the wide/broad range of frequencies having a maximum and minimum frequencies within the range), wherein the second reference signal is compared with the second clock signal to generate a second control voltage (See Fig. 5, ref# 500b, 5001b, 502b, 503b; col. 7, lines 7-53; see col. 8, line 66 to col. 9, line 11);

wherein the first loop circuit includes a first voltage controlled oscillator for generating the first clock signal in accordance with the first control voltage (See Fig. 5, ref# 503a-VCO1, "Va"); and

wherein the second loop circuit includes a second voltage controlled oscillator for generating the second clock signal in accordance with the first control voltage and the second control voltage (See Fig. 5, ref# 503b-VCO2, "Va, Vb").

Regarding claim 3 and 10, Graham et al. discloses wherein the second loop circuit further includes an adder connected to the second voltage controlled oscillator for generating a sum voltage by adding the first control voltage and the second control voltage (See col. 7, lines 54-63, Fig. 5, ref#520, signal $V_{ab} = V_a + V_b$)

Regarding claim 4, Graham et al. discloses "PLL"/(phase locked loop) circuit comprising:

a first loop circuit for generating a first clock signal which is synchronized with a first reference signal; and a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal, wherein the frequency of the second reference signal is lower than the frequency of the first reference signal; wherein the first loop circuit includes (See Fig. 5, ref# 500a, 5001a, 502a, 503a; col. 7, lines 7-53);(See Fig. 5, ref# 500b, 5001b, 502b, 503b; see col. 8, line 66 to col. 9, line 11) (narrow range, target frequency within the wide/broad range of frequencies having a maximum and minimum frequency within the range):

a first frequency divider for generating a first divisional clock signal by dividing the first clock signal by a predetermined first frequency dividing ratio (See Fig. 5, ref# 504a);

a first phase comparator connected to the first frequency divider for receiving the first reference signal and the first divisional clock signal and generating a first comparison signal in accordance with the first reference signal and the first divisional clock signal (See Fig. 5, ref# 501a);

a first low-pass filter connected to the first phase comparator for generating a first control voltage corresponding to the first comparison signal (See Fig. 5, ref# 502a); and

a first voltage controlled oscillator connected to the first low-pass filter for generating the first clock signal in accordance with the first control voltage(See Fig. 5, ref# 503a);

wherein the second loop includes:

a second frequency divider for generating a second divisional clock signal by dividing the second clock signal by a predetermined second frequency dividing ratio (See Fig. 5, ref# 504b);

a second phase comparator connected to the second frequency divider for receiving the second reference signal and the second divisional clock signal and generating a second comparison signal in accordance with the second reference signal and the second divisional clock signal (See Fig. 5, ref# 501b);

a second low-pass filter connected to the second phase comparator for generating a second control voltage corresponding to the second comparison signal (See Fig. 5, ref# 502b);
and

a second voltage controlled oscillator connected to the first and second low-pass filters for generating the second clock signal in accordance with the first and second control voltages (See Fig. 5, ref# 503b).

Regarding claim 11 and 13, method claims 11 and 13 are drawn to the corresponding method of the apparatus as claimed in claims 1,3,4, and 10. Therefore apparatus claims 11 and 13 corresponds to apparatus claims 1,3,4, and 10, and are rejected for the same reasons of anticipation used above.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2655

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Graham et al. U.S. Patent no. 5,072,195 in view of Lee et al. U.S. Patent No. 5,734,301.

Graham et al. teaches a second voltage controlled oscillator connected to the first and second low-pass filters for generating the second clock signal in accordance with the first and second control voltages, but does not expressly disclose wherein the second voltage controlled oscillator includes: a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage; and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltages.

However this feature is well known in the art as evidenced by Lee et al. which discloses a PLL circuit comprising a first loop circuit for generating a first clock signal which is synchronized with a first reference signal; and a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal, a first voltage controlled oscillator connected to a first low-pass filter for generating the first clock signal in accordance with the first control voltage, a second voltage controlled oscillator connected to the first and second low-pass filters for generating the second clock signal in accordance with the first and second control voltages (See col. 1, line 63 to col. 2, line 4; col. 2, line 51 to col. 3 line 47; Fig. 1),

wherein the second voltage controlled oscillator includes: a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage; and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltages (See col. 5, line 63 to col. 6, line 19; Fig. 6)

Therefore it would have been obvious to one with an ordinary skill in the art at the time of the invention to include voltage controlled oscillator that includes a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltage in order to provide broadband/coarse control/tuning and narrow/fine control/tuning to the voltage control oscillator.

6. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Graham et al. U.S. Patent no. 5,072,195 in combination with Lee et al. U.S. Patent No. 5,734,301 and further in view of Yoshizawa U.S. patent No. 5,909,474.

The combination of Graham et al. with Lee et al. would teach wherein the second voltage controlled oscillator further includes: a first current control gate corresponding to the first input terminal; and a second current control gate corresponding to the second input terminal; wherein a drive current of the first current control gate is greater than a drive current of the second current control gate (See Lee et al. col. 5, line 63 to col. 6, line 19; Fig. 6); and wherein the first voltage

Art Unit: 2655

controlled oscillator includes a third input terminal for receiving the first control voltage (See Lee et al. Figs. 1,3) ;

But does not expressly teaches a fourth input terminal for receiving a constant DC voltage.

However this feature is well known in the art as evidenced by Yoshizawa, which discloses a PLL circuit comprising a first loop circuit for generating a first clock signal which is synchronized with a first reference signal; and a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal, a first voltage controlled oscillator connected to a first low-pass filter for generating the first clock signal in accordance with the first control voltage, a second voltage controlled oscillator connected to the first and second low-pass filters for generating the second clock signal in accordance with the first and second control voltages wherein the second voltage controlled oscillator includes: a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage; and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltages wherein the first voltage controlled oscillator includes a third input terminal for receiving the first control voltage and a fourth input terminal for receiving a constant DC voltage (See col. 3, line 45 to col. 4, line 26; col. 5, line 58 to col. 6, line 5;

Therefore it would have been obvious to one with an ordinary skill in the art at the time of the invention to include the fourth input terminal for receiving a constant DC voltage to be

Art Unit: 2655

used as a reference constant voltage since the voltage control oscillator is a ring type, providing the coarse/broadband control/tuning in the first oscillator.

Allowable Subject Matter

7. Claims 2, 7, 8, 9 and 12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

8. The following is a statement of reasons for the indication of allowable subject matter:

In regard to claims 2, 9 and 12, the prior art of record fails to teach either alone or in combination wherein the first reference signal is a wobble signal of an optical disc, and specifically the second reference signal is a land prepit signal of the optical disc.

In regard to claims 7 and 8, the prior art of record fails to teach either alone or in combination leading edge comparator connected to the first frequency divider for receiving the first reference signal and the first divisional clock signal and **generating a leading edge comparison signal in accordance with the difference between the timing of the leading edge of the first reference signal and the timing of the leading edge of the first divisional clock signal**; a trailing edge comparator connected to the first frequency divider for receiving the first reference signal and the first divisional clock signal and **generating a trailing edge comparison signal in accordance with the difference between the timing of the trailing edge of the first reference signal and the timing of the trailing edge of the first divisional clock signal**; and specifically **an adder connected to the leading edge comparator and the trailing edge**

comparator for generating a sum signal by adding the leading edge comparison signal and the trailing edge comparison signal.

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

a. U.S. Patent No. 5,657,359 to Sakae et al., which discloses a PLL circuit comprising: a first loop circuit for generating a first clock signal which is synchronized with a first reference signal, wherein the first reference signal is compared with the first clock signal to generate a first control voltage; and a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal having a frequency which is sufficiently lower than the frequency of the first reference signal, wherein the second reference signal is compared with the second clock signal to generate a second control voltage; wherein the first loop circuit includes a first voltage controlled oscillator for generating the first clock signal in accordance with the first control voltage; and wherein the second loop circuit includes a second voltage controlled oscillator for generating the second clock signal in accordance with the first control voltage and the second control voltage, wherein the second voltage controlled oscillator includes: a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage; and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltages.

b. U.S. Patent No. 5,075,639 to Taya, which discloses a PLL circuit comprising, a first loop circuit for generating a first clock signal which is synchronized with a first reference signal, wherein the first reference signal is compared with the first clock signal to generate a first control voltage; and a second loop circuit connected to the first loop circuit for generating a second clock signal which is synchronized with a second reference signal, wherein the second reference signal is compared with the second clock signal to generate a second control voltage; wherein the first loop circuit includes a first voltage controlled oscillator for generating the first clock signal in accordance with the first control voltage; and wherein the second loop circuit includes a second voltage controlled oscillator for generating the second clock signal in accordance with the first control voltage and the second control voltage, wherein the second voltage controlled oscillator includes: a first input terminal for receiving the first control voltage; a second input terminal for receiving the second control voltage; and a ring oscillator connected to the first and second input terminals and driven by differing first and second control currents respectively corresponding to the first and second control voltages.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jorge L Ortiz-Criado whose telephone number is (703) 305-8323. The examiner can normally be reached on Mon.-Thu.(8:30 am - 6:00 pm),Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris H To can be reached on (703) 305-4827. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

joc


SUSAN MCFADDEN
PRIMARY EXAMINER